


We claim:



1. A method of inhibiting a cysteine protease which comprises administering to a patient in need thereof an effective amount of a compound of Formula I:




I

wherein:

R¹ is selected from the group consisting of:



- 15 R² is selected from the group consisting of: H, C₁₋₆alkyl, C₃₋₆cycloalkyl-C(=O)-, C₆alkyl, Ar-C(=O)-, Het-C(=O)-, R⁹C(O)-, R⁹C(S)-, R⁹SO₂-, R⁹OC(O)-,



R^3 is selected from the group consisting of: H, C₁₋₆alkyl, C₃₋₆cycloalkyl-C₀₋₆alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, HetC₀₋₆alkyl and ArC₀₋₆alkyl;

R^3 and R' may be connected to form a pyrrolidine, piperidine or morpholine ring;

R^4 is selected from the group consisting of: H, C₁₋₆alkyl, C₃₋₆cycloalkyl-C₀₋₆alkyl, Ar-C₀₋₆alkyl, Het-C₀₋₆alkyl, R⁵C(O)-, R⁵C(S)-, R⁵SO₂-, R⁵OC(O)-, R⁵R¹²NC(O)-, and R⁵R¹²NC(S)-;

R^5 is selected from the group consisting of: H, C₁₋₆alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, C₃₋₆cycloalkyl-C₀₋₆alkyl, Ar-C₀₋₆alkyl and Het-C₀₋₆alkyl;

R^6 is selected from the group consisting of: H, C₁₋₆alkyl, Ar-C₀₋₆alkyl, and Het-C₀₋₆alkyl;

R^7 is selected from the group consisting of: H, C₁₋₆alkyl, C₃₋₆cycloalkyl-C₀₋₆alkyl, Ar-C₀₋₆alkyl, Het-C₀₋₆alkyl, R¹⁰C(O)-, R¹⁰C(S)-, R¹⁰SO₂-, R¹⁰OC(O)-, R¹⁰R¹³NC(O)-, and R¹⁰R¹³NC(S)-;

R^8 is selected from the group consisting of: H, C₁₋₆alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, HetC₀₋₆alkyl and ArC₀₋₆alkyl;

R^9 is selected from the group consisting of: C₁₋₆alkyl, C₃₋₆cycloalkyl-C₀₋₆alkyl, Ar-C₀₋₆alkyl and Het-C₀₋₆alkyl;

R^{10} is selected from the group consisting of: C₁₋₆alkyl, C₃₋₆cycloalkyl-C₀₋₆alkyl, Ar-C₀₋₆alkyl and Het-C₀₋₆alkyl;

R^{11} is selected from the group consisting of: H, C₁₋₆alkyl, Ar-C₀₋₆alkyl, and Het-C₀₋₆alkyl;

R^{12} is selected from the group consisting of: H, C₁₋₆alkyl, Ar-C₀₋₆alkyl, and Het-C₀₋₆alkyl;

R^{13} is selected from the group consisting of: H, C₁₋₆alkyl, Ar-C₀₋₆alkyl, and Het-C₀₋₆alkyl;

R' is selected from the group consisting of: H, C₁₋₆alkyl, Ar-C₀₋₆alkyl, and Het-C₀₋₆alkyl;

R'' is selected from the group consisting of: H, C₁₋₆alkyl, Ar-C₀₋₆alkyl, or Het-C₀₋₆alkyl;

R''' is selected from the group consisting of: H, C₁₋₆alkyl, C₃₋₆cycloalkyl-C₀₋₆alkyl, Ar-C₀₋₆alkyl, and Het-C₀₋₆alkyl;

R'''' is selected from the group consisting of: C₁₋₆alkyl, C₃₋₆cycloalkyl-C₀₋₆alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, HetC₀₋₆alkyl and ArC₀₋₆alkyl;

X is selected from the group consisting of: CH₂, S, and O;

Z is selected from the group consisting of: C(O) and CH₂;

n is an integer from 1 to 5;

and pharmaceutically acceptable salts, hydrates and solvates thereof.

5

2. A method according to Claim 1 wherein said compound is selected from the group consisting of:

Chemical Name

- 10 Benzo[1,3]dioxole-5-carboxylic acid [(S)-1-(1-benzyl-3-oxoazepan-4-ylcarbamoyl)-3-methyl-butyl]amide;
- Quinoline-2-carboxylic acid [(S)-1-(1-benzyl-3-oxo-azepan-4-ylcarbamoyl)-3-methyl-butyl]amide;
- 5-(2-Morpholino-4-yl-ethoxy)-benzofuran-2-carboxylic acid ((S)-3-methyl-1-{3-oxo-1-[2-(3-pyridin-2-yl-phenyl)acetyl]-azepan-4-ylcarbamoyl}-butyl)amide;
- 15 5-(2-Morpholino-4-yl-ethoxy)-benzofuran-2-carboxylic acid ((S)-3-methyl-1-{3-oxo-1-[2-(3-pyridin-2-yl-phenyl)acetyl]-azepan-4-ylcarbamoyl}-butyl)amide;
- 4-((S)-4-Methyl-2-[[5-(2-morpholino-4-yl-ethoxy)-benzofuran-2-carbonyl]amino]-pentanoylamino)-3-oxo-azepane-1-carboxylic acid phenylamide;
- 5-(2-Morpholin-4-yl-ethoxy)-benzofuran-2-carboxylic acid [(S)-1-(1-benzenesulfonyl-3-oxo-azepan-4-ylcarbamoyl)-3-methyl-butyl]amide;
- 20 5-(2-Morpholin-4-yl-ethoxy)-benzofuran-2-carboxylic acid [(S)-1-(1-benzenesulfonyl-3-oxo-azepan-4-ylcarbamoyl)-3-methyl-butyl]amide;
- 5-(2-Pyrrolidin-1-yl-ethoxy)-benzofuran-2-carboxylic acid [(S)-1-(1-benzenesulfonyl-3-oxo-azepan-4-ylcarbamoyl)-3-methyl-butyl]amide;
- 25 5-(2-Piperidin-1-yl-ethoxy)-benzofuran-2-carboxylic acid [(S)-1-(1-benzenesulfonyl-3-oxo-azepan-4-ylcarbamoyl)-3-methyl-butyl]amide;
- Naphthlene-2-carboxylic acid ((S)-3-methyl-1-{3-oxo-1-[2-(3-pyridin-2-yl-phenyl)ethyl]-azepan-4-ylcarbamoyl}-butyl)amide;
- 1H-Indole-2-carboxylic acid [(S)-1-(1-benzenesulfonyl-3-oxo-azepan-4-ylcarbamoyl)-3-methyl-butyl]amide;
- 30 Benzofuran-2-carboxylic acid [(S)-1-(1-benzenesulfonyl-3-oxo-azepan-4-ylcarbamoyl)-3-methyl-butyl]amide;

- 5-(2-Pyrrolidin-1-yl-ethoxy)-benzofuran-2-carboxylic acid [(S)-1-(1-benzenesulfonyl-3-oxo-azepan-4-ylcarbamoyl)-3-methyl-butyl]amide;
- 5-(2-Piperidin-1-yl-ethoxy)-benzofuran-2-carboxylic acid [(S)-1-(1-benzenesulfonyl-3-oxo-azepan-4-ylcarbamoyl)-3-methyl-butyl]amide;
- 5 5-(2-Morpholino-4-yl-ethoxy)-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[1-(4-methyl-pentanoyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}-amide;
- Benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- Naphthalene-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 10 5-(2-Morpholino-4-yl-ethoxy)-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 5-(2-Morpholino-4-yl-ethoxy)-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 15 5-(2-Morpholino-4-yl-ethoxy)-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- Benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 4-[2-(2-[(S)-3-Methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butylcarbamoyl]-benzofuran-5-yloxy)-ethyl]-piperazine-1-carboxylic acid tert-butyl ester;
- 20 5-(2-Piperizin-1-yl-ethoxy)-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-3-butyl}-amide;
- Quinoline-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 25 Quinoline-6-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- Quinoline-4-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- Quinoline-3-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 30 Isoquinoline-3-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;

- Isoquinoline-1-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- Quinoxaline-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 5 Benzo[b]thiophene-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 1H-Indole-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 5-Methoxy-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 10 5-Bromo-furan-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 5-Nitro-furan-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 15 5-(4-Nitro-phenyl)-furan-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- (S)-2-[2-(4-Fluoro-phenoxy)-acetyl-amino]-4-methyl-pentanoic acid [3-oxo-(pyridine-2-sulfonyl)-azepan-4-yl]-amide;
- Benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(thiophene-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 20 5,6-Dimethoxy-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-methyl-1H-imidazole-4-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- Benzofuran-2-carboxylic acid {(S)-3-methyl-1-[1-(1-methyl-1H-imidazole-3-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}amide;
- 25 Benzo-furan-2-carboxylic acid {(S)-3-methyl-1-[1-(1H-imidazole-2-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}amide;
- Benzofuran-2-carboxylic acid {(S)-3-methyl-1-[1-(1-methyl-1H-imidazole-4-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}amide;
- 5-(4-Oxy-morpholino-4-yl-ethoxy)-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 30 5-Hydroxy-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[1-(1-methyl-1H-imidazole-4-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}amide;

- Benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;
- Benzo[b]thiophene-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 5 5-Bromo-furan-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 5,6-Dimethoxy-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- Benzo[b]thiophene-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;
- 10 5-Bromo-furan-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- Benzo[b]thiophene-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 15 5,6-Dimethoxy-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 5-Methoxy-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 1H-Indole-5-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 20 Benzo[1,3]dioxole-5-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 5-(2-Morpholin-4-yl-ethoxy)-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 25 3-Methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 1H-Indole-6-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- Benzo[1,3]dioxole-5-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 30 3,4-Dihydro-2H-benzo[b][1,4]dioxepine-7-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]butyl}amide;

- 4,5-Dibromo-thiophene-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-butyl}amide;
- Thieno[3,2-b]thiophene-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-butyl}amide;
- 5 5-Methoxy-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-butyl}amide;
- 1H-Indole-5-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-butyl}amide;
- 5-(4-Chloro-phenyl)-furan-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-butyl}amide;
- 10 5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-butyl}amide;
- Benzo[1,3]dioxole-5-carboxylic acid {(S)-1-[1-(4-fluoro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyle]-3-methyl-butyl}-amide;
- 15 5-Bromo-furan-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-butyl}amide;
- 5-Methoxy-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-butyl}amide;
- 3-Methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-butyl}amide;
- 20 Thieno[3,2-b]thiophene-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-butyl}amide;
- 2-Phenyl-5-trifluoromethyl-oxazole-4-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-butyl}amide;
- 25 Benzo[1,3]dioxole-5-carboxylic acid {(S)-1-[1-(4-methoxy-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyle]-3-methyl-butyl}-amide;
- Benzofuran-2-carboxylic acid {(S)-1-[1-(4-methoxy-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyle]-3-methyl-butyl}-amide;
- Furan-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-butyl}amide;
- 30 Benzo[1,3]dioxole-5-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-butyl}amide;

4-Fluoro-((S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-carbamoyl]-butyl)-benzamide;

3,4-Dihydro-2H-benzo[b][1,4]dioxepine-7-carboxylic acid ((S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]butyl) amide;

- 5 5-Methyl-thiophene-2-carboxylic acid ((S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl) amide;

(S)-2-(3-Benzyl-ureido)-4-methyl-pentanoic acid [3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-yl]-amide;

- 5-Methoxy-benzofuran-2-carboxylic acid [(S)-1-(1-methanesulfonyl-3-oxo-azepan-4-ylcarbamoyl)-3-methyl-butyl]-amide;

- 10 Furan-2-carboxylic acid (((S)-1-[1-(4-methoxy-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butylcarbamoyl)-methyl)-amide;

Quinoline-2-carboxylic acid (((S)-1-[1-(4-fluoro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl)-amide;

- 15 1-Methyl-1H-indole-2-carboxylic acid (((S)-1-[1-(4-fluoro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl)-amide;

5-Methoxy-benzofuran-2-carboxylic acid (((S)-1-[1-(4-fluoro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl)-amide;

- 20 Quinoxaline-2-carboxylic acid (((S)-1-[1-(4-fluoro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl)-amide;

Benzo[b]thiophene-2-carboxylic acid ((S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl) amide;

Benzofuran-2-carboxylic acid-((S)-1-[1-(3-chloro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl)-amide;

- 25 5-Methoxy-benzofuran-2-carboxylic acid-((S)-1-[1-(3-chloro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl)-amide;

3-Methyl-benzofuran-2-carboxylic acid-((S)-1-[1-(3-chloro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl)-amide;

- 30 Benzofuran-2-carboxylic acid-((S)-1-[1-(2-fluoro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl)-amide;

5-Methoxy-benzofuran-2-carboxylic acid-((S)-1-[1-(2-fluoro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl)-amide;

- 7-Methoxy-benzofuran-2-carboxylic acid-((S)-1-[1-(2-fluoro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyle]-3-methyl-butyl)-amide;
- 3-methylbenzofuran-2-carboxylic acid-((S)-1-[1-(2-fluoro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyle]-3-methyl-butyl)-amide;
- 5 Benzo[b]thiophene-2-carboxylic acid-((S)-1-[1-(2-fluoro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyle]-3-methyl-butyl)-amide;
- Quinoxaline-2-carboxylic acid-((S)-1-[1-(2-fluoro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyle]-3-methyl-butyl)-amide;
- 3-Methyl-benzofuran-2-carboxylic acid ((S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-butyl)amide;
- 10 Thieno[3,2-b]thiophene-2-carboxylic acid ((S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-butyl)amide;
- 3-Methyl-benzofuran-2-carboxylic acid ((S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-butyl)amide;
- 15 Benzofuran-2-carboxylic acid ((S)-3-methyl-1-[(2,2',4-tridueterio)-3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-butyl)amide;
- Quinoxaline-2-carboxylic acid ((S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-butyl)amide;
- Benzofuran-2-carboxylic acid ((S)-2-cyclohexyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-ethyl)-amide;
- 20 Benzofuran-2-carboxylic acid ((S)-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-pentyl)-amide;
- Benzofuran-2-carboxylic acid ((S)-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-2-phenyl-ethyl)-amide;
- 25 2-Phenyl-5-trifluoromethyl-oxazole-4-carboxylic acid ((S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-butyl)amide;
- 5-Methyl-2-phenyl-oxazole-4-carboxylic acid ((S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-butyl)amide;
- 3,4-Dimethoxy-N-((S)-1-[1-(4-methoxy-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyle]-3-methyl-butyl)-benzamide;
- 30 Benzo[b]thiophene-2-carboxylic acid-((S)-1-[1-(4-fluoro-benzenesulfonyl)-3-oxo-azepan-4-yl carbamoyle]-3-methyl-butyl)-amide;

Benzofuran-2-carboxylic acid-[(S)-1-[1-(4-fluoro-benzenesulfonyl)-3-oxo-azepan-4-yl carbamoyl]-3-methyl-butyl]-amide;

N-[(S)-1-[1-(4-Fluoro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl]-3,4-dimethoxy-benzamide;

- 5 Benzo[b]thiophene-2-carboxylic acid-[(S)-1-(1-methanesulfonyl-3-oxo-azepan-4-yl carbamoyl)-3-methyl-butyl]-amide;

Benzofuran-2-carboxylic acid-[(S)-1-(1-methanesulfonyl-3-oxo-azepan-4-yl carbamoyl)-3-methyl-butyl]-amide;

- 10 N-[(S)-1-(1-Methanesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl]-3,4-dimethoxy-benzamide;

N-[(S)-1-[1-(2-Cyano-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl]-4-methanesulfonyl-benzamide;

Benzofuran-2-carboxylic acid [(S)-1-[1-(2-cyano-benzenesulfonyl)-3-oxo-azepan-4-yl carbamoyl]-3-methyl-butyl]-amide;

- 15 5-(2-Morpholin-4-yl-ethoxy)-benzofuran-2-carboxylic acid [(S)-3-methyl-1-[3-oxo-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl]-amide;

5-Methyl-2-phenyl-oxazole-4-carboxylic acid [(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl]amide;

- 20 6-Methyl-N-[(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl]-nicotinamide;

5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid [(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl]amide;

N-[(S)-1-[(1-(2-cyano-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl)-3-methyl-butyl]-3,4-dimethoxy-benzamide;

- 25 4-Methansulfonyl-N-[(S)-1-[4-fluoro-benzenesulfonyl)-3-oxo-azepan-4-carbamoyl]-3-methyl-butyl-benzamide;

(S)-2-[5-(4-Methoxy-phenyl)-pentanoylamnio]-4-methyl-pentanoic acid [3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-yl]-amide;

- 30 (S)-2-[2-(3-Benzylloxy-4-methoxy-phenyl)-acetylamnio]-4-methylpentanoic acid [3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-yl]-amide;

5-Methoxybenzofuran-2-carboxylic acid [(S)-3-methyl-1-[3-oxo-1-(thiazole-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl]amide;

- 7-Methoxybenzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(thiazole-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 3-Methylbenzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(thiazole-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 5 Benzo[b]thiophene-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(thiazole-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 1-Methyl-1H-indole-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(thiazole-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- Quinoxaline-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(thiazole-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 10 Benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(thiazole-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- Benzofuran-2-carboxylic acid {(S)-1-[1-(4-chloro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;
- 15 5-Methoxy-benzofuran-2-carboxylic acid-{(S)-1-[1-(4-chloro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;
- 7-Methoxy-benzofuran-2-carboxylic acid-{(S)-1-[1-(4-chloro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;
- 3-Methyl-benzofuran-2-carboxylic acid-{(S)-1-[1-(4-chloro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;
- 20 Benzo[b]thiophene-2-carboxylic acid-{(S)-1-[1-(4-chloro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;
- Benzofuran-2-carboxylic acid-{(S)-1-[1-(3-methoxy-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;
- 25 5-Methoxy-benzofuran-2-carboxylic acid-{(S)-1-[1-(3-methoxy-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;
- 7-Methoxy-benzofuran-2-carboxylic acid-{(S)-1-[1-(3-methoxy-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;
- 3-Methyl-benzofuran-2-carboxylic acid-{(S)-1-[1-(3-methoxy-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;
- 30 Benzo[b]thiophene-2-carboxylic acid-{(S)-1-[1-(3-methoxy-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;

- 1-Methyl-1H-indole-2-carboxylic acid-[(S)-1-[1-(3-methoxy-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl]-amide;
- Benzofuran-2-carboxylic acid-[(S)-3-methyl-1-[3-oxo-1-(thiophene-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl]-amide;
- 5 5-Methoxy-benzofuran-2-carboxylic acid-[(S)-3-methyl-1-[3-oxo-1-(thiophene-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl]-amide;
- 7-Methoxy-benzofuran-2-carboxylic acid-[(S)-3-methyl-1-[3-oxo-1-(thiophene-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl]-amide;
- 3-Methyl-benzofuran-2-carboxylic acid-[(S)-3-methyl-1-[3-oxo-1-(thiophene-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl]-amide;
- 10 Benzo[b]thiophene-2-carboxylic acid-[(S)-3-methyl-1-[3-oxo-1-(thiophene-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl]-amide;
- Quinoxaline-2-carboxylic acid-[(S)-3-methyl-1-[3-oxo-1-(thiophene-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl]-amide;
- 15 1-Methyl-1-H-indole-2-carboxylic acid-[(S)-3-methyl-1-[3-oxo-1-(thiophene-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl]-amide;
- 5,6-Difluoro-benzofuran-2-carboxylic acid [(S)-3-methyl-1-[1-(pyridine-2-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl]amide;
- 5,6-Difluoro-benzofuran-2-carboxylic acid [(S)-3-methyl-1-[1-(pyridine-2-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl]amide;
- 20 Quinoline-2-carboxylic acid [(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl]amide;
- Quinoline-6-carboxylic acid [(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl]amide;
- 25 Quinoline-4-carboxylic acid [(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl]amide;
- Isoquinoline-1-carboxylic acid [(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl]amide;
- Naphthalene-2-carboxylic acid [(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl]-amide;
- 30 Quinoline-3-carboxylic acid [(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl]amide;

- 5,6-Dimethoxy-benzo[b]thiophene-2-carboxylic acid {(S)-3-methyl-1-[1-(6-methyl-pyridine-2-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}amide;
- (R)-1-Benzyl-5-oxo-pyrrolidine-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 5 Benzofuran-2-carboxylic acid {(S)-2-naphthalen-2-yl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-ethyl}-amide;
- Thieno[3,2-b]thiophene-2-carboxylic acid {(S)-3-methyl-1-[1-(3-methyl-pyridine-2-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}amide;
- 3-Methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[1-(3-methyl-pyridine-2-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}amide;
- 10 5-Methoxy-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[1-(3-methyl-pyridine-2-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}amide;
- 5,6-Difluoro-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 15 7-Methoxy-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[1-(6-methyl-pyridine-2-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}amide;
- 5,6-Dimethoxy-benzo[b]thiophene-2-carboxylic acid {(S)-3-methyl-1-[1-(6-methyl-pyridine-2-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}amide;
- 5-Fluoro-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 20 Benzofuran-2-carboxylic acid {(S)-3-methyl-1-[6-methyl-3-oxo-1-(pyridine-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 5-Fluoro-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 25 5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {(S)-2-cyclohexyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-ethyl}-amide;
- 5,6-Dimethoxy-benzofuran-2-carboxylic acid {(S)-2-cyclohexyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-ethyl}-amide;
- 5-Methoxy-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[1-(3-methyl-pyridine-2-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}amide;
- 30 Benzofuran-2-carboxylic acid {(S)-3-methyl-1-[1-(6-methyl-pyridine-2-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}amide;

- Benzofuran-2-carboxylic acid {(S)-3-methyl-1-[6-methyl-3-oxo-1-(pyridine-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- Quinoline-8-carboxylic acid {(S)-2-naphthalen-2-yl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-ethyl}-amide;
- 5 Naphthalene-1-carboxylic acid {(S)-2-naphthalen-2-yl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-ethyl}-amide;
- Quinoline-8-carboxylic acid {(S)-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-2-phenyl-ethyl}-amide;
- Naphthyridine-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 10 Naphthalene-1-carboxylic acid {(S)-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-2-phenyl-ethyl}-amide;
- Benzofuran-2-carboxylic acid {(S)-3-methyl-1-[1-(2-methyl-furan-3-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}-amide;
- 15 Quinoline-2-carboxylic acid {(S)-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-2-phenyl-ethyl}-amide;
- Benzofuran-2-carboxylic acid {(S)-3-methyl-1-[(4S,7S)-7-methyl-3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- Benzofuran-2-carboxylic acid {(S)-3-methyl-1-[(4R,7R)-7-methyl-3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 20 Benzofuran-2-carboxylic acid {(S)-1-[-(3-fluoro-benzensulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-1-butyl}-amide;
- Naphthalene-1-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 25 Quinoline-5-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-[1-(1-oxy-pyridin-2-yl)-methanoyl]-azepan-4-ylcarbamoyl]-butyl}-amide;
- Quinoline-8-carboxylic acid {(S)-2-naphthalen-2-yl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-ethyl}-amide;
- 30 Naphthalene-1-carboxylic acid {(S)-2-naphthalen-2-yl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-ethyl}-amide;

Quinoline-8-carboxylic acid {(S)-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-2-phenyl-ethyl}-amide;

Naphthalene-1-carboxylic acid {(S)-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-2-phenyl-ethyl}-amide;

- 5 5-Fluoro-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;

5-Fluoro-3-methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;

- 6-Fluoro-3-methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;

5-Fluoro-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;

5-Fluoro-3-methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;

- 15 6-Fluoro-3-methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;

Benzo[b]thiophene-2-carboxylic acid {(S)-3-methyl-1-[6-methyl-3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;

- 5-Methoxy-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[6-methyl-3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;

3-Methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[6-methyl-3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;

Thieno[3,2-b]thiophene-2-carboxylic acid {(S)-3-methyl-1-[6-methyl-3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;

- 25 3,5-Dimethyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;

3-Ethyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;

- 4-Methoxy-3-methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;

6-Methoxy-3-methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;


- 5-Methoxy-3-methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 3,5-Dimethyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 5 3-Ethyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 4-Methoxy-3-methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 4-Methoxy-3-methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 10 1-methyl-naphtho[2,1-b]-furan-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 6-Methoxy-3-methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 15 Benzofuran-2-carboxylic acid [(S)-3-methyl-1-[3-oxo-1-quinolin-2-ylmethyl-azepan-4-ylcarbamoyl]-butyl}-amide;
- 3-Methyl-benzofuran-2-carboxylic acid [(S)-3-methyl-1-[3-oxo-1-quinolin-2-ylmethyl-azepan-4-ylcarbamoyl]-butyl}-amide;
- Benzo[b]thiophene-2-carboxylic acid [(S)-3-methyl-1-[3-oxo-1-quinolin-2-ylmethyl-azepan-4-ylcarbamoyl]-butyl}-amide;
- 20 Benzo[b]thiophene-2-carboxylic acid {(S)-1-[1-(2-fluoro-phenylcarbamoyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;
- 3-Methyl-benzofuran-2-carboxylic acid {(S)-1-[1-(2-fluoro-phenylcarbamoyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;
- 25 Quinoxaline-2-carboxylic acid {(S)-1-[1-(2-fluoro-phenylcarbamoyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;
- Thieno[3,2-b]thiophene-2-carboxylic acid {(S)-1-[1-(2-fluoro-phenylcarbamoyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;
- Quinoline-2-carboxylic acid {(S)-1-[1-(2-fluoro-phenylcarbamoyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;
- 30 4-Methyl-2-carboxylic acid {(S)-1-[1-(2-fluoro-phenylcarbamoyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;

5-Methoxy-benzofuran-2-carboxylic acid {(S)-1-[1-(2-fluoro-phenylcarbamoyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide; and

4-Methyl-furan-2-carboxylic acid {(S)-1-[1-(2-fluoro-phenylcarbamoyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide.

5

3. A method of treating a parasitic disease mediated by a cysteine protease by administering to a patient in need thereof one or more of the compounds of Formula I:




I


10

wherein:

R¹ is selected from the group consisting of:




15



R² is selected from the group consisting of: H, C₁₋₆alkyl, C₃₋₆cycloalkyl-CO-

20 C₆alkyl, Ar-CO-C₆alkyl, Het-CO-C₆alkyl, R⁹C(O)-, R⁹C(S)-, R⁹SO₂-, R⁹OC(O)-,



5 R^3 is selected from the group consisting of: H, C₁₋₆alkyl, C₃₋₆cycloalkyl-C₀₋₆alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, HetC₀₋₆alkyl and ArC₀₋₆alkyl;

R^3 and R^7 may be connected to form a pyrrolidine, piperidine or morpholine ring;

R^4 is selected from the group consisting of: H, C₁₋₆alkyl, C₃₋₆cycloalkyl-C₀₋₆alkyl, Ar-C₀₋₆alkyl, Het-C₀₋₆alkyl, $R^5C(O)-$, $R^5C(S)-$, R^5SO_2- , $R^5OC(O)-$, $R^5R^{12}NC(O)-$, and $R^5R^{12}NC(S)-$;

10 R^5 is selected from the group consisting of: H, C₁₋₆alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, C₃₋₆cycloalkyl-C₀₋₆alkyl, Ar-C₀₋₆alkyl and Het-C₀₋₆alkyl;

R^6 is selected from the group consisting of: H, C₁₋₆alkyl, Ar-C₀₋₆alkyl, and Het-C₀₋₆alkyl;

15 R^7 is selected from the group consisting of: H, C₁₋₆alkyl, C₃₋₆cycloalkyl-C₀₋₆alkyl, Ar-C₀₋₆alkyl, Het-C₀₋₆alkyl, $R^{10}C(O)-$, $R^{10}C(S)-$, $R^{10}SO_2-$, $R^{10}OC(O)-$, $R^{10}R^{13}NC(O)-$, and $R^{10}R^{13}NC(S)-$;

R^8 is selected from the group consisting of: H, C₁₋₆alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, HetC₀₋₆alkyl and ArC₀₋₆alkyl;

20 R^9 is selected from the group consisting of: C₁₋₆alkyl, C₃₋₆cycloalkyl-C₀₋₆alkyl, Ar-C₀₋₆alkyl and Het-C₀₋₆alkyl;

R^{10} is selected from the group consisting of: C₁₋₆alkyl, C₃₋₆cycloalkyl-C₀₋₆alkyl, Ar-C₀₋₆alkyl and Het-C₀₋₆alkyl;

R^{11} is selected from the group consisting of: H, C₁₋₆alkyl, Ar-C₀₋₆alkyl, and Het-C₀₋₆alkyl;

25 R^{12} is selected from the group consisting of: H, C₁₋₆alkyl, Ar-C₀₋₆alkyl, and Het-C₀₋₆alkyl;

R^{13} is selected from the group consisting of: H, C₁₋₆alkyl, Ar-C₀₋₆alkyl, and Het-C₀₋₆alkyl;

R' is selected from the group consisting of: H, C₁₋₆alkyl, Ar-C₀₋₆alkyl, and Het-C₀₋₆alkyl;

R'' is selected from the group consisting of: H, C₁₋₆alkyl, Ar-C₀₋₆alkyl, or Het-C₀₋₆alkyl;

5 R''' is selected from the group consisting of: H, C₁₋₆alkyl, C₃₋₆cycloalkyl-C₀₋₆alkyl, Ar-C₀₋₆alkyl, and Het-C₀₋₆alkyl;

R'''' is selected from the group consisting of: C₁₋₆alkyl, C₃₋₆cycloalkyl-C₀₋₆alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, HetC₀₋₆alkyl and ArC₀₋₆alkyl;

X is selected from the group consisting of: CH₂, S, and O;

10 Z is selected from the group consisting of: C(O) and CH₂;

n is an integer from 1 to 5;

and pharmaceutically acceptable salts, hydrates and solvates thereof.

4. A method of treating a parasitic disease mediated by a cysteine protease by
15 administering to an animal in need thereof an effective amount of a compound selected from the group consisting of:

Chemical Name

20 Benzo[1,3]dioxole-5-carboxylic acid [(S)-1-(1-benzyl-3-oxoazepan-4-ylcarbamoyl)-3-methyl-butyl]amide;

Quinoline-2-carboxylic acid [(S)-1-(1-benzyl-3-oxo-azepan-4-ylcarbamoyl)-3-methyl-butyl]amide;

5-(2-Morpholino-4-yl-ethoxy)-benzofuran-2-carboxylic acid ((S)-3-methyl-1-{3-oxo-1-[2-(3-pyridin-2-yl-phenyl)acetyl]-azepan-4-ylcarbamoyl}-butyl)amide;

25 5-(2-Morpholino-4-yl-ethoxy)-benzofuran-2-carboxylic acid ((S)-3-methyl-1-{3-oxo-1-[2-(3-pyridin-2-yl-phenyl)acetyl]-azepan-4-ylcarbamoyl}-butyl)amide;

4-((S)-4-Methyl-2-{[5-(2-morpholino-4-yl-ethoxy)-benzofuran-2-carbonyl]amino}-pentanoylamino)-3-oxo-azepane-1-carboxylic acid phenylamide;

30 5-(2-Morpholin-4-yl-ethoxy)-benzofuran-2-carboxylic acid [(S)-1-(1-benzenesulfonyl-3-oxo-azepan-4-ylcarbamoyl)-3-methyl-butyl]amide;

5-(2-Morpholin-4-yl-ethoxy)-benzofuran-2-carboxylic acid [(S)-1-(1-benzenesulfonyl-3-oxo-azepan-4-ylcarbamoyl)-3-methyl-butyl]amide;

- 5-(2-Pyrrolidin-1-yl-ethoxy)-benzofuran-2-carboxylic acid [(S)-1-(1-benzenesulfonyl-3-oxo-azepan-4-ylcarbamoyl)-3-methyl-butyl]amide;
- 5-(2-Piperidin-1-yl-ethoxy)-benzofuran-2-carboxylic acid [(S)-1-(1-benzenesulfonyl-3-oxo-azepan-4-ylcarbamoyl)-3-methyl-butyl]amide;
- 5 Naphthlene-2-carboxylic acid ((S)-3-methyl-1-[3-oxo-1-[2-(3-pyridin-2-yl-phenyl)ethyl]-azepan-4-ylcarbamoyl]-butyl)amide;
- 1H-Indole-2-carboxylic acid [(S)-1-(1-benzenesulfonyl-3-oxo-azepan-4-ylcarbamoyl)-3-methyl-butyl]amide;
- Benzofuran-2-carboxylic acid [(S)-1-(1-benzenesulfonyl-3-oxo-azepan-4-ylcarbamoyl)-3-methyl-butyl]amide;
- 10 5-(2-Pyrrolidin-1-yl-ethoxy)-benzofuran-2-carboxylic acid [(S)-1-(1-benzenesulfonyl-3-oxo-azepan-4-ylcarbamoyl)-3-methyl-butyl]amide;
- 5-(2-Piperidin-1-yl-ethoxy)-benzofuran-2-carboxylic acid [(S)-1-(1-benzenesulfonyl-3-oxo-azepan-4-ylcarbamoyl)-3-methyl-butyl]amide;
- 15 5-(2-Morpholino-4-yl-ethoxy)-benzofuran-2-carboxylic acid ((S)-3-methyl-1-[1-(4-methyl-pentanoyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl)-amide;
- Benzofuran-2-carboxylic acid ((S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl)-amide;
- Naphthalene-2-carboxylic acid ((S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl)-amide;
- 20 5-(2-Morpholino-4-yl-ethoxy)-benzofuran-2-carboxylic acid ((S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl)-amide;
- 5-(2-Morpholino-4-yl-ethoxy)-benzofuran-2-carboxylic acid ((S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl)-amide;
- 25 5-(2-Morpholino-4-yl-ethoxy)-benzofuran-2-carboxylic acid ((S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl)-amide;
- Benzofuran-2-carboxylic acid ((S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl)-amide;
- 4-[2-(2-((S)-3-Methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butylcarbamoyl)-benzofuran-5-yloxy)-ethyl]-piperazine-1-carboxylic acid tert-butyl ester;
- 30 5-(2-Piperizin-1-yl-ethoxy)-benzofuran-2-carboxylic acid ((S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-3-butyl)-amide;

- Quinoline-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- Quinoline-6-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 5 Quinoline-4-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- Quinoline-3-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- Isoquinoline-3-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 10 Isoquinoline-1-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- Quinoxaline-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 15 Benzo[b]thiophene-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 1H-Indole-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 5-Methoxy-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 20 5-Bromo-furan-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 5-Nitro-furan-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 25 5-(4-Nitro-phenyl)-furan-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- (S)-2-[2-(4-Fluoro-phenoxy)-acetyl-amino]-4-methyl-pentanoic acid [3-oxo-(pyridine-2-sulfonyl)-azepan-4-yl]-amide;
- Benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(thiophene-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 30 5,6-Dimethoxy-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-methyl-1H-imidazole-4-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;

- Benzofuran-2-carboxylic acid {(S)-3-methyl-1-[1-(1-methyl-1H-imidazole-3-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}amide;
- Benzofuran-2-carboxylic acid {(S)-3-methyl-1-[1-(1H-imidazole-2-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}amide;
- 5 Benzofuran-2-carboxylic acid {(S)-3-methyl-1-[1-(1-methyl-1H-imidazole-4-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}amide;
- 5-(4-Oxy-morpholino-4-yl-ethoxy)-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 5-Hydroxy-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[1-(1-methyl-1H-imidazole-4-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}amide;
- 10 Benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;
- Benzo[b]thiophene-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 15 5-Bromo-furan-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 5,6-Dimethoxy-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- Benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;
- 20 5-Bromo-furan-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- Benzo[b]thiophene-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 25 5,6-Dimethoxy-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 5-Methoxy-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 1H-Indole-5-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 30 Benzo[1,3]dioxole-5-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;

- 5-(2-Morpholin-4-yl-ethoxy)-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 3-Methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 5 1H-Indole-6-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- Benzo[1,3]dioxole-5-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 3,4-Dihydro-2H-benzo[b][1,4]dioxepine-7-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]butyl}amide;
- 10 4,5-Dibromo-thiophene-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- Thieno[3,2-b]thiophene-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 15 5-Methoxy-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 1H-Indole-5-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 5-(4-Chloro-phenyl)-furan-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 20 5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- Benzo[1,3]dioxole-5-carboxylic acid {(S)-1-[1-(4-fluoro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;
- 25 5-Bromo-furan-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 5-Methoxy-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 3-Methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 30 Thieno[3,2-b]thiophene-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;

- 2-Phenyl-5-trifluoromethyl-oxazole-4-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- Benzo[1,3]dioxole-5-carboxylic acid {(S)-1-[1-(4-methoxy-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;
- 5 Benzofuran-2-carboxylic acid {(S)-1-[1-(4-methoxy-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;
- Furan-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- Benzo[1,3]dioxole-5-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 10 4-Fluoro-[(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-carbamoyl]-butyl]-benzamide;
- 3,4-Dihydro-2H-benzo[b][1,4]dioxepine-7-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]butyl}amide;
- 15 5-Methyl-thiophene-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- (S)-2-(3-Benzyl-ureido)-4-methyl-pentanoic acid [3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-yl]-amide;
- 5-Methoxy-benzofuran-2-carboxylic acid [(S)-1-(1-methanesulfonyl-3-oxo-azepan-4-ylcarbamoyl)-3-methyl-butyl]-amide;
- 20 Furan-2-carboxylic acid ((S)-1-[1-(4-methoxy-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butylcarbamoyl)-methyl)-amide;
- Quinoline-2-carboxylic acid {(S)-1-[1-(4-fluoro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;
- 25 1-Methyl-1H-indole-2-carboxylic acid {(S)-1-[1-(4-fluoro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;
- 5-Methoxy-benzofuran-2-carboxylic acid {(S)-1-[1-(4-fluoro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;
- Quinoxaline-2-carboxylic acid {(S)-1-[1-(4-fluoro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;
- 30 Benzo[b]thiophene-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;

- Benzofuran-2-carboxylic acid-((S)-1-[1-(3-chloro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyle]-3-methyl-butyl)-amide;
- 5-Methoxy-benzofuran-2-carboxylic acid-((S)-1-[1-(3-chloro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyle]-3-methyl-butyl)-amide;
- 5 3-Methyl-benzofuran-2-carboxylic acid-((S)-1-[1-(3-chloro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyle]-3-methyl-butyl)-amide;
- Benzofuran-2-carboxylic acid-((S)-1-[1-(2-fluoro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyle]-3-methyl-butyl)-amide;
- 5-Methoxy-benzofuran-2-carboxylic acid-((S)-1-[1-(2-fluoro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyle]-3-methyl-butyl)-amide;
- 10 7-Methoxy-benzofuran-2-carboxylic acid-((S)-1-[1-(2-fluoro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyle]-3-methyl-butyl)-amide;
- 3-methylbenzofuran-2-carboxylic acid-((S)-1-[1-(2-fluoro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyle]-3-methyl-butyl)-amide;
- 15 Benzo[b]thiophene-2-carboxylic acid-((S)-1-[1-(2-fluoro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyle]-3-methyl-butyl)-amide;
- Quinoxaline-2-carboxylic acid-((S)-1-[1-(2-fluoro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyle]-3-methyl-butyl)-amide;
- 3-Methyl-benzofuran-2-carboxylic acid ((S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-butyl)amide;
- 20 Thieno[3,2-b]thiophene-2-carboxylic acid ((S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-butyl)amide;
- 3-Methyl-benzofuran-2-carboxylic acid ((S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-butyl)amide;
- 25 Benzofuran-2-carboxylic acid ((S)-3-methyl-1-[(2,2',4-trideterio)-3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-butyl)amide;
- Quinoxaline-2-carboxylic acid ((S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-butyl)amide;
- Benzofuran-2-carboxylic acid ((S)-2-cyclohexyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-ethyl)-amide;
- 30 Benzofuran-2-carboxylic acid ((S)-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyle]-pentyl)-amide;

- Benzofuran-2-carboxylic acid {(S)-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-2-phenyl-ethyl}-amide;
- 2-Phenyl-5-trifluoromethyl-oxazole-4-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 5 5-Methyl-2-phenyl-oxazole-4-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 3,4-Dimethoxy-N-[(S)-1-[1-(4-methoxy-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl]-benzamide;
- 10 Benzo[b]thiophene-2-carboxylic acid-[(S)-1-[1-(4-fluoro-benzenesulfonyl)-3-oxo-azepan-4-yl carbamoyl]-3-methyl-butyl]-amide;
- Benzofuran-2-carboxylic acid-[(S)-1-[1-(4-fluoro-benzenesulfonyl)-3-oxo-azepan-4-yl carbamoyl]-3-methyl-butyl]-amide;
- N-[(S)-1-[1-(4-Fluoro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl]-3,4-dimethoxy-benzamide;
- 15 Benzo[b]thiophene-2-carboxylic acid-[(S)-1-(1-methanesulfonyl-3-oxo-azepan-4-yl carbamoyl)-3-methyl-butyl]-amide;
- Benzofuran-2-carboxylic acid-[(S)-1-(1-methanesulfonyl-3-oxo-azepan-4-yl carbamoyl)-3-methyl-butyl]-amide;
- N-[(S)-1-(1-Methanesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl]-3,4-dimethoxy-benzamide;
- 20 N-[(S)-1-[1-(2-Cyano-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl]-4-methanesulfonyl-benzamide;
- Benzofuran-2-carboxylic acid {(S)-1-[1-(2-cyano-benzenesulfonyl)-3-oxo-azepan-4-yl carbamoyl]-3-methyl-butyl}-amide;
- 25 5-(2-Morpholin-4-yl-ethoxy)-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 5-Methyl-2-phenyl-oxazole-4-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 6-Methyl-N-[(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl]-nicotinamide;
- 30 5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;

- N-[(S)-1-[(1-(2-cyano-benzenesulfonyl)-3-oxo-azepan-4-yl)carbamoyl]-3-methyl-butyl]-3,4-dimethoxy-benzamide;
 4-Methansulfonyl-N-[(S)-1-[4-fluoro-benzenesulfonyl]-3-oxo-azepan-4-carbamoyl]-3-methyl-butyl-benzamide;
- 5 (S)-2-[5-(4-Methoxy-phenyl)-pentanoylamnio]-4-methyl-pentanoic acid [3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-yl]-amide;
 (S)-2-[2-(3-Benzoyloxy-4-methoxy-phenyl)-acetylamnio]-4-methylpentanoic acid [3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-yl]-amide;
- 10 5-Methoxybenzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(thiazole-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
 7-Methoxybenzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(thiazole-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
 3-Methylbenzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(thiazole-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 15 Benzo[b]thiophene-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(thiazole-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
 1-Methyl-1H-indole-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(thiazole-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
 Quinoxaline-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(thiazole-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 20 Benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(thiazole-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
 Benzofuran-2-carboxylic acid {(S)-1-[1-(4-chloro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;
- 25 5-Methoxy-benzofuran-2-carboxylic acid-[(S)-1-[1-(4-chloro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl]-amide;
 7-Methoxy-benzofuran-2-carboxylic acid-[(S)-1-[1-(4-chloro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl]-amide;
 3-Methyl-benzofuran-2-carboxylic acid-[(S)-1-[1-(4-chloro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl]-amide;
- 30 Benzo[b]thiophene-2-carboxylic acid-[(S)-1-[1-(4-chloro-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl]-amide;

- Benzofuran-2-carboxylic acid-((S)-1-[1-(3-methoxy-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl)-amide;
- 5-Methoxy-benzofuran-2-carboxylic acid-((S)-1-[1-(3-methoxy-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl)-amide;
- 5 7-Methoxy-benzofuran-2-carboxylic acid-((S)-1-[1-(3-methoxy-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl)-amide;
- 3-Methyl-benzofuran-2-carboxylic acid-((S)-1-[1-(3-methoxy-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl)-amide;
- Benzo[b]thiophene-2-carboxylic acid-((S)-1-[1-(3-methoxy-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl)-amide;
- 10 1-Methyl-1H-indole-2-carboxylic acid-((S)-1-[1-(3-methoxy-benzenesulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl)-amide;
- Benzofuran-2-carboxylic acid-((S)-3-methyl-1-[3-oxo-1-(thiophene-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl)-amide;
- 15 5-Methoxy-benzofuran-2-carboxylic acid-((S)-3-methyl-1-[3-oxo-1-(thiophene-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl)-amide;
- 7-Methoxy-benzofuran-2-carboxylic acid-((S)-3-methyl-1-[3-oxo-1-(thiophene-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl)-amide;
- 3-Methyl-benzofuran-2-carboxylic acid-((S)-3-methyl-1-[3-oxo-1-(thiophene-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl)-amide;
- 20 Benzo[b]thiophene-2-carboxylic acid-((S)-3-methyl-1-[3-oxo-1-(thiophene-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl)-amide;
- Quinoxaline-2-carboxylic acid-((S)-3-methyl-1-[3-oxo-1-(thiophene-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl)-amide;
- 25 1-Methyl-1-H-indole-2-carboxylic acid-((S)-3-methyl-1-[3-oxo-1-(thiophene-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl)-amide;
- 5,6-Difluoro-benzofuran-2-carboxylic acid ((S)-3-methyl-1-[1-(pyridine-2-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl)amide;
- 5,6-Difluoro-benzofuran-2-carboxylic acid ((S)-3-methyl-1-[1-(pyridine-2-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl)amide;
- 30 Quinoline-2-carboxylic acid ((S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl)amide;

- Quinoline-6-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- Quinoline-4-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 5 Isoquinoline-1-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- Naphthalene-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- Quinoline-3-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 10 5,6-Dimethoxy-benzo[b]thiophene-2-carboxylic acid {(S)-3-methyl-1-[1-(6-methyl-pyridine-2-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}amide;
- (R)-1-Benzyl-5-oxo-pyrrolidine-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 15 Benzofuran-2-carboxylic acid {(S)-2-naphthalen-2-yl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-ethyl}amide;
- Thieno[3,2-b]thiophene-2-carboxylic acid {(S)-3-methyl-1-[1-(3-methyl-pyridine-2-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}amide;
- 3-Methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[1-(3-methyl-pyridine-2-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}amide;
- 20 5-Methoxy-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[1-(3-methyl-pyridine-2-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}amide;
- 5,6-Difluoro-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 25 7-Methoxy-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[1-(6-methyl-pyridine-2-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}amide;
- 5,6-Dimethoxy-benzo[b]thiophene-2-carboxylic acid {(S)-3-methyl-1-[1-(6-methyl-pyridine-2-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}amide;
- 5-Fluoro-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;
- 30 Benzofuran-2-carboxylic acid {(S)-3-methyl-1-[6-methyl-3-oxo-1-(pyridine-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}amide;

- 5-Fluoro-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {(S)-2-cyclohexyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-ethyl}-amide;
- 5 5,6-Dimethoxy-benzofuran-2-carboxylic acid {(S)-2-cyclohexyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-ethyl}-amide;
- 5-Methoxy-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[1-(3-methyl-pyridine-2-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}amide;
- Benzofuran-2-carboxylic acid {(S)-3-methyl-1-[1-(6-methyl-pyridine-2-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}amide;
- 10 Benzofuran-2-carboxylic acid {(S)-3-methyl-1-[6-methyl-3-oxo-1-(pyridine-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- Quinoline-8-carboxylic acid {(S)-2-naphthalen-2-yl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-ethyl}-amide;
- 15 Naphthalene-1-carboxylic acid {(S)-2-naphthalen-2-yl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-ethyl}-amide;
- Quinoline-8-carboxylic acid {(S)-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-2-phenyl-ethyl}-amide;
- Naphthyridine-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 20 Naphthalene-1-carboxylic acid {(S)-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-2-phenyl-ethyl}-amide;
- Benzofuran-2-carboxylic acid {(S)-3-methyl-1-[1-(2-methyl-furan-3-sulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-butyl}-amide;
- 25 Quinoline-2-carboxylic acid {(S)-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-2-phenyl-ethyl}-amide;
- Benzofuran-2-carboxylic acid {(S)-3-methyl-1-[(4S,7S)-7-methyl-3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- Benzofuran-2-carboxylic acid {(S)-3-methyl-1-[(4R,7R)-7-methyl-3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 30 Benzofuran-2-carboxylic acid {(S)-1-[1-(3-fluoro-benzensulfonyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-1-butyl}-amide;

- Naphthalene-1-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- Quinoline-5-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 5 5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid ((S)-3-methyl-1-[3-oxo-1-[1-(1-oxy-pyridin-2-yl)-methanoyl]-azepan-4-ylcarbamoyl]-butyl)-amide;
- Quinoline-8-carboxylic acid {(S)-2-naphthalen-2-yl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-ethyl}-amide;
- Naphthalene-1-carboxylic acid {(S)-2-naphthalen-2-yl-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-ethyl}-amide;
- 10 Quinoline-8-carboxylic acid {(S)-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-2-phenyl-ethyl}-amide;
- Naphthalene-1-carboxylic acid {(S)-1-[3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-2-phenyl-ethyl}-amide;
- 15 5-Fluoro-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 5-Fluoro-3-methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 6-Fluoro-3-methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 20 5-Fluoro-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 5-Fluoro-3-methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 25 6-Fluoro-3-methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- Benzo[b]thiophene-2-carboxylic acid {(S)-3-methyl-1-[6-methyl-3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 5-Methoxy-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[6-methyl-3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 30 3-Methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[6-methyl-3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;

- Thieno[3,2-b]thiophene-2-carboxylic acid {(S)-3-methyl-1-[6-methyl-3-oxo-1-(pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 3,5-Dimethyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 5 3-Ethyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 4-Methoxy-3-methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 6-Methoxy-3-methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 10 5-Methoxy-3-methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 3,5-Dimethyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 15 3-Ethyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 4-Methoxy-3-methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 4-Methoxy-3-methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 20 1-methyl-naphtho[2,1-b]-furan-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 6-Methoxy-3-methyl-benzofuran-2-carboxylic acid {(S)-3-methyl-1-[3-oxo-1-(1-oxy-pyridine-2-sulfonyl)-azepan-4-ylcarbamoyl]-butyl}-amide;
- 25 Benzofuran-2-carboxylic acid [(S)-3-methyl-1-[3-oxo-1-quinolin-2-ylmethyl-azepan-4-ylcarbamoyl]-butyl}-amide;
- 3-Methyl-benzofuran-2-carboxylic acid [(S)-3-methyl-1-[3-oxo-1-quinolin-2-ylmethyl-azepan-4-ylcarbamoyl]-butyl}-amide;
- Benzo[b]thiophene-2-carboxylic acid [(S)-3-methyl-1-[3-oxo-1-quinolin-2-ylmethyl-azepan-4-ylcarbamoyl]-butyl}-amide;
- 30 Benzo[b]thiophene-2-carboxylic acid {(S)-1-[1-(2-fluoro-phenylcarbamoyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;

3-Methyl-benzofuran-2-carboxylic acid {(S)-1-[1-(2-fluoro-phenylcarbamoyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;

Quinoxaline-2-carboxylic acid {(S)-1-[1-(2-fluoro-phenylcarbamoyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;

5 Thieno[3,2-b]thiophene-2-carboxylic acid {(S)-1-[1-(2-fluoro-phenylcarbamoyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;

Quinoline-2-carboxylic acid {(S)-1-[1-(2-fluoro-phenylcarbamoyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;

10 4-Methyl-2-carboxylic acid {(S)-1-[1-(2-fluoro-phenylcarbamoyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide;

5-Methoxy-benzofuran-2-carboxylic acid {(S)-1-[1-(2-fluoro-phenylcarbamoyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide; and

4-Methyl-furan-2-carboxylic acid {(S)-1-[1-(2-fluoro-phenylcarbamoyl)-3-oxo-azepan-4-ylcarbamoyl]-3-methyl-butyl}-amide.

15

5. A method according to either Claim 3 or Claim 4 wherein said disease is selected from a group consisting of: malaria, trypanosomiasis (African sleeping sickness, Chagas disease), leishmaniasis, schistosomiasis, onchocerciasis (river blindness) and giardiasis.

20

6. A method according to Claim 5 wherein said disease is malaria.